



PINNACLE — ANALYTICS —

Potency Results

Sample Name: *Hemp A - Slurricane*

Client: iCanBiz

Client Batch ID:

Pinnacle-Analytics.com
3549 Lear Way, Suite 101
Medford OR 97504
P:(541)300-8217

Sample ID: rC-H-185-E101

Matrix: Flower

Prep Analyst: Jeff A.

Analysis Method: 0630322+1 H3 4-20-2022 #1.lcm

Sampling Method: N/A

Reference Method: JCB 2009: HPLC/DAD

Analysis Batch: 1-19-2024 H3 185, 424, 441 Flower

Date Sampled: 1/16/2024

Date Reported: 1/20/2024

Client License: AG-R1063241IHG

1750 Delta Waters Rd #102-382

Medford OR 97504


For R&D Purposes Only

Total THC (THCA*0.877+d9-THC)	22.2%
Total CBD (CBDA*0.877+CBD)	<LOQ%
Moisture Content	13.5%

Cannabinoid	% Weight	mg/g
CBDVA	<LOQ	<LOQ
CBDV	<LOQ	<LOQ
CBDA*	<LOQ	<LOQ
CBGA	1.08	10.8
CBG	<LOQ	<LOQ
CBD*	<LOQ	<LOQ
THCV	<LOQ	<LOQ
CBN	<LOQ	<LOQ
d9-THC*	0.297	2.97
d8-THC*	<LOQ	<LOQ
CBC	<LOQ	<LOQ
THCA*	24.9	249.0
Total Cannabinoids	26.28	263.0

*ORELAP Accredited Analyte

Limit Of Quantitation: 0.1%, analyte not measured



- CBGA
- d9-THC*
- THCA*



These test results may not be altered or reproduced except in full without the permission of Pinnacle Analytics. These results were generated following the Oregon Administrative Rules and in accordance with the NELAP Institute under ORELAP License #4152
Report generated by Routine_Potency_Rev13_8-1-2023

Kris Ford, PhD
Lab Director



PINNACLE

— ANALYTICS —

Quality Control Results

Analyst: Jeff A.

Analysis Batch: 1-19-2024 H3 185, 424, 441 Flower

Pinnacle-Analytics.com
3549 Lear Way, Suite 101
Medford OR 97504
P:(541)300-8217

	Duplicate RPD		LCS % Recovery		Method Blank	
	H-0-E151-b	Limit	C-FL-011924	Limits	C-FB-011924	Limit
CBDA	6.1%	10%	105.0%	90-110%	<LOQ/2	LOQ/2
CBD	9.73%	10%	108.0%	90-110%	<LOQ/2	LOQ/2
d9-THC	<LOQ%	30%	92.2%	90-110%	<LOQ/2	LOQ/2
d8-THC	<LOQ%	30%	97.8%	90-110%	<LOQ/2	LOQ/2
THCA	9.67%	10%	97.4%	90-110%	<LOQ/2	LOQ/2

RPD: Relative Percent Difference between unknown sample and its duplicate

LCS: Laboratory Control Sample with known concentration

Case Comments: There were no divergences from ordinary Quality Control procedures or SOPs.



These test results may not be altered or reproduced except in full without the permission of Pinnacle Analytics. These results were generated following the Oregon Administrative Rules and in accordance with the NELAP Institute under ORELAP License #4152
Report generated by Routine_Potency_Rev13_8-1-2023

Kris Ford, PhD
Lab Director