

CBD Vape

Sample ID: 2603AFL0288.1015

Internal Lab ID: ATL-34891

Client

Client Notes

Strain: Blue Dream

Pure Shaka

CBD

Matrix: Concentrates & Extracts

Received: 03/02/2026

Lic. #

Type: Vape

Completed: 03/05/2026

2701 Northwest 29th Terrace

Unit Weight: 2 g

Batch#: FSHD2825

Lauderdale Lakes, FL 33311



Summary

Test

Date Tested

Result

Batch

Complete

Cannabinoids

03/04/2026

Complete

Basic Potency - HPLC

Complete

0.280%

Total THC

48.308%

Total CBD

54.839%

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.007	0.022	1.385	27.70	CBN	0.007	0.022	0.168	3.36
CBDV	0.007	0.022	1.778	35.56	Δ^9 -THC	0.007	0.022	0.280	5.60
CBDa	0.007	0.022	ND	ND	Δ^8 -THC	0.007	0.022	ND	ND
CBGa	0.007	0.022	ND	ND	(6aR,9S)-d10-THC	0.008	0.024	ND	ND
CBG	0.007	0.022	2.151	43.02	(6aR,9R)-d10-THC	0.008	0.025	ND	ND
CBD	0.007	0.022	48.308	966.16	CBC	0.007	0.022	0.769	15.38
THCV	0.007	0.022	ND	ND	CBCa	0.007	0.022	ND	ND
Δ^8 -THCV	0.008	0.024	ND	ND	THCa	0.007	0.022	ND	ND
THCVa	0.007	0.022	ND	ND	Total			54.839	1096.78

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 03/04/2026


Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT
Not Tested
Document ID:
Moisture Content

NT
Not Tested
Document ID:
Water Activity

Not Tested
Document ID:
Foreign Matter




Lise Berthe-Laurent
Laboratory Director
03/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.