

WATERMELON GELATO PRE-ROLL

Sample ID: HR20250390329
Strain: WATERMELON GELATO
Matrix: Plant
Type: Preroll
Sample Size: ; Batch:

Produced:
Collected: 03/07/2025
Received: 03/07/2025
Completed: 03/12/2025
Batch#:

Client
Not Ya Son's Weed
Lic. #
602 N Mangum Street
Durham, NC 27701



Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	03/10/2025	Complete
Moisture	03/10/2025	11.78%

Cannabinoids

Complete

20.32%				ND		21.08%	
Total THC				Total CBD		Total Cannabinoids	
Analyte	LOD	LOQ	Result	Result	Result	Result	
	mg/g	mg/g	%	mg/g	mg/unit	mg/serving	
THCa	0.20000	0.61000	22.87	228.73			
Δ9-THC	0.15000	0.45000	0.26	2.57			
Δ8-THC	0.14000	0.42000	ND	ND			
THCV	0.15000	0.44000	ND	ND			
CBDa	0.10000	0.31000	ND	ND			
CBD	0.15000	0.45000	ND	ND			
CBN	0.16000	0.50000	ND	ND			
CBGa	0.29000	0.88000	0.87	8.69			
CBG	0.13000	0.39000	ND	ND			
CBC	0.14000	0.42000	ND	ND			
Total THC			20.32	203.17	0.00	0.00	
Total CBD			ND	ND	ND	ND	
Total			21.08	210.79	0.00	0.00	
Sum of Cannabinoids			24.00	239.99			

Determination of Cannabinoids by HPLC, HL223

Total THC = Δ9-THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



Ming

Ming Li - General Manager
03/12/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.