

Full Spectrum CBD-CRD Disposable Vape

Sample ID: 2510AFL1839.7113

Internal Lab ID: ATL-32727

Client

Strain: Green Crack

Pure Shaka

Matrix: Ingestible

Received: 10/20/2025

Lic. #

Type: Other

Completed: 10/23/2025

2604 Kirkwood Hwy
Wilmington, DE 19805

Unit Weight: 2 g

Batch#: #9172



Summary

Test

Date Tested

Result

Batch

Complete

Cannabinoids

10/21/2025

Complete

Basic Potency

Complete

0.060%

Total THC

45.983%

Total CBD

63.254%

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.007	0.021	ND	ND	CBN	0.007	0.021	5.916	118.32
CBDV	0.007	0.021	ND	ND	Δ 9-THC	0.007	0.021	0.060	1.19
CBDa	0.007	0.021	ND	ND	Δ 8-THC	0.007	0.021	1.138	22.75
CBGa	0.007	0.021	ND	ND	(6aR,9S)-d10-THC	0.008	0.024	ND	ND
CBG	0.007	0.021	4.081	81.62	(6aR,9R)-d10-THC	0.008	0.024	ND	ND
CBD	0.007	0.021	45.983	919.66	CBC	0.007	0.021	6.076	121.53
THCV	0.007	0.021	ND	ND	CBCa	0.007	0.021	ND	ND
Δ 8-THCV	0.008	0.023	ND	ND	THCa	0.007	0.021	ND	ND
THCVa	0.007	0.021	ND	ND	Total			63.254	1265.07

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 10/21/2025

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA)

ISO/IEC 17025:2017 Accreditation No. 118038

NT

Not Tested

Document ID:

Moisture Content

NT

Not Tested

Document ID:

Water Activity

Not Tested

Document ID:

Foreign Matter




Paulo Gonzalez
Laboratory Director
10/23/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.