

Full Spectrum CBD-CRD Disposable Vape

Sample ID: 2510AFL1839.7114

Internal Lab ID: ATL-32728

Client

Strain: Blue Dream

Pure Shaka

Matrix: Ingestible

Received: 10/20/2025

Lic. #

Type: Other

Completed: 10/23/2025

2604 Kirkwood Hwy
Wilmington, DE 19805

Unit Weight: 2 g

Batch #: #9172



Summary

Test

Date Tested

Result

Batch

Complete

Cannabinoids

10/21/2025

Complete

Basic Potency

Complete

0.087%

Total THC

46.333%

Total CBD

63.827%

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.007	0.022	ND	ND	CBN	0.007	0.022	5.959	119.19
CBDV	0.007	0.022	ND	ND	Δ 9-THC	0.007	0.022	0.087	1.73
CBDa	0.007	0.022	ND	ND	Δ 8-THC	0.007	0.022	1.241	24.82
CBGa	0.007	0.022	ND	ND	(6aR,9S)-d10-THC	0.008	0.024	ND	ND
CBG	0.007	0.022	4.069	81.38	(6aR,9R)-d10-THC	0.008	0.025	ND	ND
CBD	0.007	0.022	46.333	926.67	CBC	0.007	0.022	6.138	122.75
THCV	0.007	0.022	ND	ND	CBCa	0.007	0.022	ND	ND
Δ 8-THCV	0.008	0.024	ND	ND	THCa	0.007	0.022	ND	ND
THCVa	0.007	0.022	ND	ND	Total			63.827	1276.54

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 10/21/2025

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA)

ISO/IEC 17025:2017 Accreditation No. 118038

NT

Not Tested

Document ID:

Moisture Content

NT

Not Tested

Document ID:

Water Activity

Not Tested

Document ID:

Foreign Matter




Paulo Gonzalez
Laboratory Director
10/23/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.